

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|---|---|------------------|---------|------------------|
| S2    | 70   | ((software or application or module or class) same (debug\$4 or trac\$4 or test\$4)) and (compil\$4 and load\$4 ) and ((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4) near7 (version and path))  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR               | ON      | 2003/12/27 13:18 |
| S3    | 51   | ((software or application or module or class) same (debug\$4 or trac\$4 or test\$4)) and (compil\$4 and load\$4 ) and ((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4) near7 (version and path))) and (@ad<="19991217" or @rlad<="19991217")                  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR               | ON      | 2003/12/24 09:21 |
| S4    | 33   | ((software or application or module or class) same (debug\$4 or trac\$4 or test\$4)) and (compil\$4 and load\$4 ) and ((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4) near7 (version and path))) and (@ad<="19991217" or @rlad<="19991217")) not Ginter. in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR               | ON      | 2003/12/24 09:19 |
| S5    | 18   | (distributed near5 (package or bundle or software or executable or class)) and "version control" and ((encoded or encrypted or bundled) near4 (version and path))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR               | ON      | 2003/12/24 09:21 |
| S6    | 18   | (distributed near5 (package or bundle or software or executable or class)) and (version\$4 or debug\$4) and ((encoded or encrypted or bundled) near4 (version and path))  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR               | ON      | 2003/12/24 09:21 |
| S7    | 18   | ((distributed near5 (package or bundle or software or executable or class)) and (version\$4 or debug\$4) and ((encoded or encrypted or bundled) near4 (version and path))) and (@ad<="19991217" or @rlad<="19991217")   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR               | ON      | 2003/12/24 09:34 |

|    |     |   |       |    |    |                  |
|----|-----|---|-------|----|----|------------------|
| S8 | 243 | ("3573747"   "3609697"  <br>"3796830"   "3798359"  <br>"3798360"   "3798605"  <br>"3806882"   "3829833"  <br>"3906448"   "3911397"  <br>"3924065"   "3931504"  <br>"3946220"   "3956615"  <br>"3958081"   "3970992"  <br>"4048619"   "4071911"  <br>"4112421"   "4120030"  <br>"4163280"   "4168396"  <br>"4196310"   "4200913"  <br>"4209787"   "4217588"  <br>"4220991"   "4232193"  <br>"4232317"   "4236217"  <br>"4253157"   "4262329"  <br>"4265371"   "4270182"  <br>"4278837"   "4305131"  <br>"4306289"   "4309569"  <br>"4319079"   "4323921"  <br>"4328544"   "4337483"  <br>"4361877"   "4375579"  <br>"4393269"   "4433207"  <br>"4434464"   "4442486"  <br>"4446519"   "4454594"  <br>"4458315"   "4462076"  <br>"4462078"   "4465901"  <br>"4471163"   "4484217"  <br>"4494156"   "4513174"  <br>"4528588"   "4528643"  <br>"4553252"   "4558176"  <br>"4558413"   "4562306"  <br>"4562495"   "4577289"  <br>"4584641"   "4588991"  <br>"4589064"   "4593353"  <br>"4593376"   "4595950"  <br>"4597058"   "4634807"  <br>"4644493"   "4646234"  <br>"4652990"   "4658093"  <br>"4670857"   "4672572"  <br>"4677434"   "4680731"  <br>"4683553"   "4685056"  <br>"4688169"   "4691350"  <br>"4696034"   "4700296"  <br>"4701846"   "4713238"  <br>"4713753"   "4740890"  <br>"4747139"   "4757533"  <br>"4757534"   "4768087"  <br>"4791565"   "4796181"  <br>"4799156"   "4807288"  <br>"4817140"   "4823264"  <br>"4827508"   "4858121"  <br>"4864494"   "4868877"  <br>"4903296"   "4924378"  <br>"4930073"   "4949187"  <br>"4975647"   "4977594"  <br>"4999806"   "5001752"  <br>"5005200"   "5005200"  <br>"5010571"   "5023907"  <br>"5047928"   "5048085" | USPAT | OR | ON | 2003/12/24 09:24 |
|----|-----|---|-------|----|----|------------------|

|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| S9  | 1476 | ((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 13:22 |
| S10 | 5    | (versioning same (file or object or class or software)) and (bind\$4 or compil\$4) and (debug\$4 or trac\$4) and network and (PROM same stor\$4) and ((remote or distribut\$4 ) near7 (appliance or device or card or PDA or machine))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 09:41 |
| S11 | 118  | (version\$4 same (file or object or class or software)) and (bind\$4 or compil\$4) and (debug\$4 or trac\$4) and network and (PROM same stor\$4) and ((remote or distribut\$4 ) near7 (appliance or device or card or PDA or machine))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 09:47 |
| S12 | 12   | ((((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))) ) and ((version\$4 same (file or object or class or software)) and (bind\$4 or compil\$4) and (debug\$4 or trac\$4) and network and (PROM same stor\$4) and ((remote or distribut\$4 ) near7 (appliance or device or card or PDA or machine))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 09:34 |

|     |     |   |   |    |    |                  |
|-----|-----|---|---|----|----|------------------|
| S13 | 5   | ((((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))) ) and ((version\$4 same (file or object or class or software)) and (bind\$4 or compil\$4) and (debug\$4 or trac\$4) and network and (PROM same stor\$4) and ((remote or distribut\$4 ) near7 (appliance or device or card or PDA or machine)))) and (@ad<="19991217" or @rlad<="19991217") | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 09:40 |
| S14 | 146 | ((((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))) ) and "717"/\$   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 09:40 |
| S15 | 107 | ((((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))) ) and "717"/\$ and (@ad<="19991217" or @rlad<="19991217")  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/25 10:28 |
| S16 | 69  | ((((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))) ) and "717"/\$ and (@ad<="19991217" or @rlad<="19991217")) and ((version and path or directory) same (bind\$4 or link\$4 or check\$4 or verif\$4))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 09:42 |

|     |     |  |   |    |    |                  |
|-----|-----|--|---|----|----|------------------|
| S17 | 24  | (((((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))) ) and "717"/\$) and (@ad<="19991217" or @rlad<="19991217")) and ((version and path or directory) same (bind\$4 or link\$4 or check\$4 or verif\$4))) and (debug\$5 or trac\$4 or check\$4 or bind\$4 or verif\$4 or load\$4).ab. | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/25 10:28 |
| S18 | 374 | (Cheng or Chen).in. and download\$4 and (version same (path or link))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 09:51 |
| S19 | 1   | ((Cheng or Chen).in. and download\$4 and (version same (path or link))) and (version\$4 same (file or object or class or software)) and (bind\$4 or compil\$4) and (debug\$4 or trac\$4) and ((remote or distribut\$4 ) near7 (appliance or device or card or PDA or machine))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 09:48 |
| S20 | 8   | ((Cheng or Chen).in. and download\$4 and (version same (path or link))) and (version\$4 same (file or object or class or software)) and ((remote or distribut\$4 ) near7 (appliance or device or card or PDA or machine))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 09:49 |
| S21 | 10  | ((Cheng or Chen).in. and download\$4 and (version same (path or link))) and (((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))) )  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 09:49 |

|     |    |  |   |    |    |                  |
|-----|----|--|---|----|----|------------------|
| S22 | 8  | ((Cheng or Chen).in. and download\$4 and (version same (path or link))) and (((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))) and (@ad<="19991217" or @rlad<="19991217") | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 09:52 |
| S23 | 15 | (Cheng or Chen).in. and download\$4 and (version same (path or link)) and (ads or advertisement)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 09:51 |
| S24 | 9  | ((Cheng or Chen).in. and download\$4 and (version same (path or link)) and (ads or advertisement)) and (@ad<="19991217" or @rlad<="19991217")  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 10:06 |
| S25 | 66 | version\$4 and ((relocatable near5 (module or file or object)) same link\$4) and (PROM or EPROM or flash or (remote adj2 (site or device)) or wireless or download\$4 or transfer\$4 or debug\$4)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 10:05 |
| S26 | 58 | (version\$4 and ((relocatable near5 (module or file or object)) same link\$4) and (PROM or EPROM or flash or (remote adj2 (site or device)) or wireless or download\$4 or transfer\$4 or debug\$4)) and (@ad<="19991217" or @rlad<="19991217")   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 13:20 |
| S27 | 19 | ((version\$4 and ((relocatable near5 (module or file or object)) same link\$4) and (PROM or EPROM or flash or (remote adj2 (site or device)) or wireless or download\$4 or transfer\$4 or debug\$4)) and (@ad<="19991217" or @rlad<="19991217")) and "717"/\$  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 10:09 |

|     |    |  |   |    |     |                  |
|-----|----|--|---|----|-----|------------------|
| S28 | 3  | (version or CASE) and (relocatable adj2 (module or file or object)) and versioning   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2003/12/24 10:13 |
| S29 | 13 | ((US-6427140-\$ or US-6650761-\$ or US-6542927-\$ or US-6311214-\$ or US-6079006-\$ or US-5987561-\$ or US-6108727-\$ or US-6009274-\$ or US-5499365-\$ or US-5974470-\$ or US-6658659-\$ or US-5574898-\$ or US-5649200-\$ or US-6185734-\$ or US-6425125-\$ or US-4667290-\$ or US-5748961-\$ or US-6195795-\$ or US-5950209-\$ or US-6591413-\$ or US-5956513-\$ or US-6457170-\$ or US-6477580-\$).did. or (US-5649200-\$ or US-5574898-\$). did.) and version and linking and build and (location or path or pathname)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2003/12/24 13:01 |
| S30 | 10 | ((US-6427140-\$ or US-6650761-\$ or US-6542927-\$ or US-6311214-\$ or US-6079006-\$ or US-5987561-\$ or US-6108727-\$ or US-6009274-\$ or US-5499365-\$ or US-5974470-\$ or US-6658659-\$ or US-5574898-\$ or US-5649200-\$ or US-6185734-\$ or US-6425125-\$ or US-4667290-\$ or US-5748961-\$ or US-6195795-\$ or US-5950209-\$ or US-6591413-\$ or US-5956513-\$ or US-6457170-\$ or US-6477580-\$).did. or (US-5649200-\$ or US-5574898-\$). did.) and version and linking and build and (location or path or pathname)) and (version same (location or path or pathname)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2003/12/24 13:00 |
| S31 | 6  | ((("5659735") or ("4809170") or ("5950209"))).PN.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2003/12/24 13:00 |
| S32 | 3  | ((("5659735") or ("4809170") or ("5950209"))).PN.) and version and linking and build and (location or path or pathname)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2003/12/24 13:15 |

|     |     |  |   |    |    |                  |
|-----|-----|--|---|----|----|------------------|
| S33 | 242 | (software near4 (load\$4 or activat\$4 or build or link\$4)) and ((version and (path or pathname or location)) near7 (parameter or variable or argument or hyperlink))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/24 13:18 |
| S34 | 97  | ((software near4 (load\$4 or activat\$4 or build or link\$4)) and ((version and (path or pathname or location)) near7 (parameter or variable or argument or hyperlink))) and (@ad<="19991217" or @rlad<="19991217"))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/24 14:03 |
| S35 | 41  | ((software near4 (load\$4 or activat\$4 or build or link\$4)) and ((version and (path or pathname or location)) near7 (parameter or variable or argument or hyperlink))) and (@ad<="19991217" or @rlad<="19991217")) and (((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))) or (((((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))) and "717"/\$) and (@ad<="19991217" or @rlad<="19991217")) and ((version and path or directory) same (bind\$4 or link\$4 or check\$4 or verif\$4))) or ((version\$4 same (file or object or class or software)) and (bind\$4 or compil\$4) and (debug\$4 or trac\$4) and network and (PROM same stor\$4) and ((remote or distribut\$4) near7 (appliance or device or card or PDA or machine)))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2003/12/24 13:23 |



|     |    |  |   |    |    |                  |
|-----|----|--|---|----|----|------------------|
| S36 | 41 | <p>(((software near4 (load\$4 or activat\$4 or build or link\$4)) and ((version and (path or pathname or location)) near7 (parameter or variable or argument or hyperlink))) and (@ad&lt;="19991217" or @rlad&lt;="19991217")) and (((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))) or ((((((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))) and "717"/\$) and (@ad&lt;="19991217" or @rlad&lt;="19991217")) and ((version and path or directory) same (bind\$4 or link\$4 or check\$4 or verif\$4))) or ((version\$4 same (file or object or class or software)) and (bind\$4 or compil\$4) and (debug\$4 or trac\$4) and network and (PROM same stor\$4) and ((remote or distribut\$4 ) near7 (appliance or device or card or PDA or machine)))))) and (@ad&lt;="19991217" or @rlad&lt;="19991217"))</p> | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 13:26 |
| S37 | 4  | <p>((US-6427140-\$ or US-6650761-\$ or US-6542927-\$ or US-6311214-\$ or US-6079006-\$ or US-5987561-\$ or US-6108727-\$ or US-6009274-\$ or US-5499365-\$ or US-5974470-\$ or US-6658659-\$ or US-5574898-\$ or US-5649200-\$ or US-6185734-\$ or US-6425125-\$ or US-4667290-\$ or US-5748961-\$ or US-6195795-\$ or US-5950209-\$ or US-6591413-\$ or US-5956513-\$ or US-6457170-\$ or US-6477580-\$).did. or (US-5649200-\$ or US-5574898-\$). did.) and (flash or EPROM or PROM) and ( device or appliance or wireless or PDA)</p>   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 15:42 |

|     |    |   |   |    |    |                  |
|-----|----|---|---|----|----|------------------|
| S38 | 1  | ((US-6427140-\$ or US-6650761-\$ or US-6542927-\$ or US-6311214-\$ or US-6079006-\$ or US-5987561-\$ or US-6108727-\$ or US-6009274-\$ or US-5499365-\$ or US-5974470-\$ or US-6658659-\$ or US-5574898-\$ or US-5649200-\$ or US-6185734-\$ or US-6425125-\$ or US-4667290-\$ or US-5748961-\$ or US-6195795-\$ or US-5950209-\$ or US-6591413-\$ or US-5956513-\$ or US-6457170-\$ or US-6477580-\$).did. or (US-5649200-\$ or US-5574898-\$). did.) and (PROM) and ( device or appliance or wireless or PDA) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 14:30 |
| S39 | 1  | (download\$4 and (remote or device or wireless or card or appliance)) and (versioned adj2 ( object or file or code or executable or module)) and PROM   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 13:48 |
| S40 | 13 | ("5261098"   "5467471"   "5574898"   "5596714"   "5649200"   "5675802"   "5752245"   "5758337"   "5805889"   "5905990"   "6119130"   "6148308"   "6216136").PN.   | USPAT   | OR | ON | 2003/12/24 13:49 |
| S41 | 46 | ((path or pathname or location) and version) near5 (variable or parameter or argument)) and (PROM or EPROM )and ((module or application or software or object) near5 (link\$4 or load\$4 or activat\$4 or execut\$4 or bind\$4 or build\$4)) and (download\$4 or send\$4 or transfer\$4 or install\$4)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 14:03 |
| S42 | 27 | ((path or pathname or location) and version) near5 (variable or parameter or argument)) and (PROM or EPROM )and ((module or application or software or object) near5 (link\$4 or load\$4 or activat\$4 or execut\$4 or bind\$4 or build\$4)) and (download\$4 or send\$4 or transfer\$4 or install\$4)) and (@ad<="19991217" or @rlad<="19991217")  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 15:41 |

|     |    |   |   |    |    |                  |
|-----|----|---|---|----|----|------------------|
| S43 | 11 | (((((path or pathname or location) and version) near5 (variable or parameter or argument)) and (PROM or EPROM )and ((module or application or software or object) near5 (link\$4 or load\$4 or activat\$4 or execut\$4 or bind\$4 or build\$4)) and (download\$4 or send\$4 or transfer\$4 or install\$4)) and (@ad<="19991217" or @rlad<="19991217")) and link\$4 and (version same (path or pathname or location))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 14:04 |
| S44 | 4  | ((US-6427140-\$ or US-6650761-\$ or US-6542927-\$ or US-6311214-\$ or US-6079006-\$ or US-5987561-\$ or US-6108727-\$ or US-6009274-\$ or US-5499365-\$ or US-5974470-\$ or US-6658659-\$ or US-5574898-\$ or US-5649200-\$ or US-6185734-\$ or US-6425125-\$ or US-4667290-\$ or US-5748961-\$ or US-6195795-\$ or US-5950209-\$ or US-6591413-\$ or US-5956513-\$ or US-6457170-\$ or US-6477580-\$).did. or (US-5649200-\$ or US-5574898-\$). did.) and (version and path) and (global adj2 variable)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 14:30 |
| S45 | 53 | ClearCase and (@ad<="19991217" or @rlad<="19991217") and version\$4   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 15:45 |
| S46 | 4  | ((((US-6427140-\$ or US-6650761-\$ or US-6542927-\$ or US-6311214-\$ or US-6079006-\$ or US-5987561-\$ or US-6108727-\$ or US-6009274-\$ or US-5499365-\$ or US-5974470-\$ or US-6658659-\$ or US-5574898-\$ or US-5649200-\$ or US-6185734-\$ or US-6425125-\$ or US-4667290-\$ or US-5748961-\$ or US-6195795-\$ or US-5950209-\$ or US-6591413-\$ or US-5956513-\$ or US-6457170-\$ or US-6477580-\$).did. or (US-5649200-\$ or US-5574898-\$). did.) and (flash or EPROM or PROM) and ( device or appliance or wireless or PDA)) and (flash or EPROM or PROM) and ( device or appliance or wireless or PDA) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/12/24 15:46 |

|     |      |  |   |    |     |                  |
|-----|------|--|---|----|-----|------------------|
| S47 | 53   | ClearCase and (ClearCase and (@ad<="19991217" or @rlad<="19991217") and version\$4)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2003/12/24 15:45 |
| S48 | 2    | (ClearCase and (@ad<="19991217" or @rlad<="19991217") and version\$4) and (flash or EPROM or PROM) and ( device or appliance or wireless or PDA)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2004/05/25 16:13 |
| S49 | 5098 | ((717/122-126,142,145,163-167, 170) or (709/331) or (707/1, 203)).CCLS.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2003/12/27 13:20 |
| S50 | 111  | (((((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))) ) and "717"/\$) and (@ad<="19991217" or @rlad<="19991217")   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2004/05/25 10:32 |
| S51 | 13   | (((((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))) ) and "717"/\$) and (@ad<="19991217" or @rlad<="19991217") ) and Clearcase                                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2004/05/25 10:33 |
| S52 | 13   | ((((((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4) near7 (version and path)) and ((distribut\$4 or download\$4 or load\$4) near4 (software or executable or application or module or class or "object code"))) ) and "717"/\$) and (@ad<="19991217" or @rlad<="19991217") ) and Clearcase) not (Ericsson.as. or Telefonak.as.) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB           | OR | ON  | 2004/05/25 10:35 |

|     |     |  |   |    |    |                  |
|-----|-----|--|---|----|----|------------------|
| S53 | 8   | (binary or excutable or (object adj2 (file or module)) or native) same ((configuration adj2 record) near8 (download\$4 or install\$4 or bundl\$4 or packag\$4))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/25 10:37 |
| S54 | 838 | ((configuration adj2 (script or record or file)) near8 (download\$4 or install\$4 or bundl\$4 or packag\$4))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/25 10:56 |
| S55 | 1   | ((path and version) near8 (binary or excutable or (object adj2 (file or module)) or native)) and ( ((configuration adj2 (script or record or file)) near8 (download\$4 or install\$4 or bundl\$4 or packag\$4))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/25 10:57 |
| S56 | 13  | (path and version) near9 (configuration adj2 (script or record or file))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/25 11:01 |
| S57 | 9   | ((path and version) near9 (configuration adj2 (script or record or file))) and (@ad<="19991217" or @rlad<="19991217")  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/25 13:12 |
| S58 | 4   | (path and version) near9 ((installation or metadata) adj2 (manifest or script or record or file))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/25 11:03 |
| S59 | 8   | (path and version) near9 ((installation or metadata) near3 (manifest or script or record or file))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/25 11:03 |
| S60 | 3   | ((path and version) near9 ((installation or metadata) near3 (manifest or script or record or file))) and (@ad<="19991217" or @rlad<="19991217")  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/25 11:07 |
| S61 | 16  | (metadata or manifest or configuration or header) near5 (includ\$4 near4 (path and version))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/25 11:07 |

|     |     |  |   |    |    |                  |
|-----|-----|--|---|----|----|------------------|
| S62 | 2   | ((metadata or manifest or configuration or header) near5 (includ\$4 near4 (path and version))) and (@ad<="19991217" or @rlad<="19991217")  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/25 13:10 |
| S63 | 18  | Makefile.ab.   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/25 13:12 |
| S64 | 12  | Makefile.ab. and (@ad<="19991217" or @rlad<="19991217")  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/25 13:20 |
| S65 | 2   | (Makefile.ab. and (@ad<="19991217" or @rlad<="19991217")) and ((version and pathname) or (PATH or VERSION))  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/01/14 16:44 |
| S66 | 22  | ((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4 or download\$4) same (makefile and (object adj2 file))) and (version and (path or pathname))   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/25 13:20 |
| S67 | 16  | ((bundl\$3 or encod\$4 or encrypt\$5 or packag\$4 or stor\$4 or includ\$4 or download\$4) same (makefile and (object adj2 file))) and (version and (path or pathname))) and (@ad<="19991217" or @rlad<="19991217") | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/25 13:55 |
| S68 | 0   | Luu.in. and configuration and makefile   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/25 13:56 |
| S69 | 122 | Luu.in. and configuration  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/25 13:56 |
| S70 | 0   | (Luu.in. and configuration) and ("Kakali.xp" or "kakali.xa")   | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/25 13:57 |

|     |    |  |   |    |    |                  |
|-----|----|--|---|----|----|------------------|
| S71 | 0  | (Luu.in. and configuration) and "717"/\$ and Clearcase   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/25 13:57 |
| S72 | 3  | (Luu.in. and configuration) and "717"/\$   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/25 16:11 |
| S73 | 39 | (configuration adj2 (file or record or script or makefile)) near8 (version and (location or pathname or URL))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/25 16:12 |
| S74 | 41 | (configuration adj5 (file or record or script or makefile)) near8 (version and (location or pathname or URL))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/25 16:15 |
| S75 | 16 | ((configuration adj5 (file or record or script or makefile)) near8 (version and (location or pathname or URL))) and (@ad<="19991217" or @rlad<="19991217") and version\$4  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/25 17:16 |
| S76 | 48 | (configuration adj5 (file or record or script or makefile)) near8 (version and (location or pathname or URL or path))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/25 16:15 |
| S77 | 19 | ((configuration adj5 (file or record or script or makefile)) near8 (version and (location or pathname or URL or path))) and (@ad<="19991217" or @rlad<="19991217") and version\$4  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/25 17:01 |
| S78 | 4  | ((configuration adj5 (file or record or script or makefile)) near8 (version and (location or pathname or URL or path))) and (@ad<="19991217" or @rlad<="19991217") and version\$4) and conflict and (path or pathname or location) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/25 17:01 |

|     |    |   |   |    |     |                  |
|-----|----|---|---|----|-----|------------------|
| S79 | 34 | (US-6650761-\$ or US-6542927-\$<br>or US-6427140-\$ or US-6311214-\$<br>or US-6079006-\$ or US-5987561-\$<br>or US-6185734-\$ or US-5499365-\$<br>or US-6108727-\$ or US-6658659-\$<br>or US-6457170-\$ or US-5974470-\$<br>or US-6009274-\$ or US-6591413-\$<br>or US-6477580-\$ or US-6195795-\$<br>or US-5956513-\$ or US-5950209-\$<br>or US-5748961-\$ or US-5649200-\$<br>or US-5574898-\$ or US-4667290-\$<br>or US-6590588-\$ or US-6425125-\$<br>or US-5950011-\$ or<br>US-5771381-\$).did. or<br>(US-5517636-\$ or US-6564369-\$<br>or US-6178546-\$ or US-5860012-\$<br>or US-6151567-\$ or<br>US-5713009-\$).did. or<br>(US-5649200-\$ or US-5574898-\$).<br>did.   | USPAT;<br>DERWENT                                       | OR | OFF | 2004/05/25 17:17 |
| S80 | 6  | ((US-6650761-\$ or US-6542927-\$<br>or US-6427140-\$ or US-6311214-\$<br>or US-6079006-\$ or US-5987561-\$<br>or US-6185734-\$ or US-5499365-\$<br>or US-6108727-\$ or US-6658659-\$<br>or US-6457170-\$ or US-5974470-\$<br>or US-6009274-\$ or US-6591413-\$<br>or US-6477580-\$ or US-6195795-\$<br>or US-5956513-\$ or US-5950209-\$<br>or US-5748961-\$ or US-5649200-\$<br>or US-5574898-\$ or US-4667290-\$<br>or US-6590588-\$ or US-6425125-\$<br>or US-5950011-\$ or<br>US-5771381-\$).did. or<br>(US-5517636-\$ or US-6564369-\$<br>or US-6178546-\$ or US-5860012-\$<br>or US-6151567-\$ or<br>US-5713009-\$).did. or<br>(US-5649200-\$ or US-5574898-\$).<br>did.) and (path same version) and<br>(configuration same file) and<br>(conflict or error) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/05/25 17:19 |



|     |    |   |   |    |    |                  |
|-----|----|---|---|----|----|------------------|
| S81 | 0  | ((US-6650761-\$ or US-6542927-\$ or US-6427140-\$ or US-6311214-\$ or US-6079006-\$ or US-5987561-\$ or US-6185734-\$ or US-5499365-\$ or US-6108727-\$ or US-6658659-\$ or US-6457170-\$ or US-5974470-\$ or US-6009274-\$ or US-6591413-\$ or US-6477580-\$ or US-6195795-\$ or US-5956513-\$ or US-5950209-\$ or US-5748961-\$ or US-5649200-\$ or US-5574898-\$ or US-4667290-\$ or US-6590588-\$ or US-6425125-\$ or US-5950011-\$ or US-5771381-\$).did. or (US-5517636-\$ or US-6564369-\$ or US-6178546-\$ or US-5860012-\$ or US-6151567-\$ or US-5713009-\$).did. or (US-5649200-\$ or US-5574898-\$).did.) and ((path same exclud\$5) and (configuration same file) and (conflict or error)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/25 17:19 |
| S82 | 15 | ((US-6650761-\$ or US-6542927-\$ or US-6427140-\$ or US-6311214-\$ or US-6079006-\$ or US-5987561-\$ or US-6185734-\$ or US-5499365-\$ or US-6108727-\$ or US-6658659-\$ or US-6457170-\$ or US-5974470-\$ or US-6009274-\$ or US-6591413-\$ or US-6477580-\$ or US-6195795-\$ or US-5956513-\$ or US-5950209-\$ or US-5748961-\$ or US-5649200-\$ or US-5574898-\$ or US-4667290-\$ or US-6590588-\$ or US-6425125-\$ or US-5950011-\$ or US-5771381-\$).did. or (US-5517636-\$ or US-6564369-\$ or US-6178546-\$ or US-5860012-\$ or US-6151567-\$ or US-5713009-\$).did. or (US-5649200-\$ or US-5574898-\$).did.) and (path and (configuration same file) and (conflict or error))                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/25 17:20 |

|     |    |  |   |    |     |                  |
|-----|----|--|---|----|-----|------------------|
| S83 | 1  | ((US-6650761-\$ or US-6542927-\$ or US-6427140-\$ or US-6311214-\$ or US-6079006-\$ or US-5987561-\$ or US-6185734-\$ or US-5499365-\$ or US-6108727-\$ or US-6658659-\$ or US-6457170-\$ or US-5974470-\$ or US-6009274-\$ or US-6591413-\$ or US-6477580-\$ or US-6195795-\$ or US-5956513-\$ or US-5950209-\$ or US-5748961-\$ or US-5649200-\$ or US-5574898-\$ or US-4667290-\$ or US-6590588-\$ or US-6425125-\$ or US-5950011-\$ or US-5771381-\$).did. or (US-5517636-\$ or US-6564369-\$ or US-6178546-\$ or US-5860012-\$ or US-6151567-\$ or US-5713009-\$).did. or (US-5649200-\$ or US-5574898-\$). did.) and Luu.in. | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/05/25 17:20 |
| S84 | 34 | (US-6564369-\$ or US-6151567-\$ or US-5956513-\$ or US-5950011-\$ or US-5771381-\$ or US-5713009-\$ or US-5517636-\$ or US-6658659-\$ or US-6650761-\$ or US-6591413-\$ or US-6590588-\$ or US-6542927-\$ or US-6477580-\$ or US-6457170-\$ or US-6427140-\$ or US-6425125-\$ or US-6311214-\$ or US-6195795-\$ or US-6185734-\$ or US-6178546-\$ or US-6108727-\$ or US-6079006-\$ or US-6009274-\$ or US-5987561-\$ or US-5974470-\$ or US-5950209-\$).did. or (US-5860012-\$ or US-5748961-\$ or US-5649200-\$ or US-5574898-\$ or US-5499365-\$ or US-4667290-\$).did. or (US-5649200-\$ or US-5574898-\$). did.               | USPAT;<br>DERWENT                                       | OR | OFF | 2004/05/26 08:42 |

|     |    |  |   |    |    |                  |
|-----|----|--|---|----|----|------------------|
| S85 | 14 | ((US-6564369-\$ or US-6151567-\$ or US-5956513-\$ or US-5950011-\$ or US-5771381-\$ or US-5713009-\$ or US-5517636-\$ or US-6658659-\$ or US-6650761-\$ or US-6591413-\$ or US-6590588-\$ or US-6542927-\$ or US-6477580-\$ or US-6457170-\$ or US-6427140-\$ or US-6425125-\$ or US-6311214-\$ or US-6195795-\$ or US-6185734-\$ or US-6178546-\$ or US-6108727-\$ or US-6079006-\$ or US-6009274-\$ or US-5987561-\$ or US-5974470-\$ or US-5950209-\$).did. or (US-5860012-\$ or US-5748961-\$ or US-5649200-\$ or US-5574898-\$ or US-5499365-\$ or US-4667290-\$).did. or (US-5649200-\$ or US-5574898-\$). did.) and ((path and version) and (configuration adj2 (script or record or file)))                                      | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/26 08:48 |
| S86 | 9  | ((((US-6564369-\$ or US-6151567-\$ or US-5956513-\$ or US-5950011-\$ or US-5771381-\$ or US-5713009-\$ or US-5517636-\$ or US-6658659-\$ or US-6650761-\$ or US-6591413-\$ or US-6590588-\$ or US-6542927-\$ or US-6477580-\$ or US-6457170-\$ or US-6427140-\$ or US-6425125-\$ or US-6311214-\$ or US-6195795-\$ or US-6185734-\$ or US-6178546-\$ or US-6108727-\$ or US-6079006-\$ or US-6009274-\$ or US-5987561-\$ or US-5974470-\$ or US-5950209-\$).did. or (US-5860012-\$ or US-5748961-\$ or US-5649200-\$ or US-5574898-\$ or US-5499365-\$ or US-4667290-\$).did. or (US-5649200-\$ or US-5574898-\$). did.) and ((path and version) and (configuration adj2 (script or record or file)))) and (version near4 configuration) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2004/05/26 09:35 |

|          |    |  |   |    |    |                  |
|----------|----|--|---|----|----|------------------|
| S87      | 1  | ((US-6564369-\$ or US-6151567-\$ or US-5956513-\$ or US-5950011-\$ or US-5771381-\$ or US-5713009-\$ or US-5517636-\$ or US-6658659-\$ or US-6650761-\$ or US-6591413-\$ or US-6590588-\$ or US-6542927-\$ or US-6477580-\$ or US-6457170-\$ or US-6427140-\$ or US-6425125-\$ or US-6311214-\$ or US-6195795-\$ or US-6185734-\$ or US-6178546-\$ or US-6108727-\$ or US-6079006-\$ or US-6009274-\$ or US-5987561-\$ or US-5974470-\$ or US-5950209-\$).did. or (US-5860012-\$ or US-5748961-\$ or US-5649200-\$ or US-5574898-\$ or US-5499365-\$ or US-4667290-\$).did. or (US-5649200-\$ or US-5574898-\$). did.) and Luu.in.     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/26 09:37 |
| S88      | 4  | ((US-6564369-\$ or US-6151567-\$ or US-5956513-\$ or US-5950011-\$ or US-5771381-\$ or US-5713009-\$ or US-5517636-\$ or US-6658659-\$ or US-6650761-\$ or US-6591413-\$ or US-6590588-\$ or US-6542927-\$ or US-6477580-\$ or US-6457170-\$ or US-6427140-\$ or US-6425125-\$ or US-6311214-\$ or US-6195795-\$ or US-6185734-\$ or US-6178546-\$ or US-6108727-\$ or US-6079006-\$ or US-6009274-\$ or US-5987561-\$ or US-5974470-\$ or US-5950209-\$).did. or (US-5860012-\$ or US-5748961-\$ or US-5649200-\$ or US-5574898-\$ or US-5499365-\$ or US-4667290-\$).did. or (US-5649200-\$ or US-5574898-\$). did.) and Leblang.in. | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/05/26 12:41 |
| S15<br>2 | 0  | (ELF adj file) same ((load\$3 near5 (relocatable or module)) and (version near5 path))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/14 16:45 |
| S15<br>3 | 42 | ((load\$3 near5 (relocatable or module)) and (version near5 path))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/14 16:44 |

|          |    |   |   |    |    |                  |
|----------|----|---|---|----|----|------------------|
| S15<br>4 | 24 | S153 and (@ad<="19991217" or @rlad<="19991217")                                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/14 16:47 |
| S15<br>5 | 0  | (ELF adj file) and (bind\$4 or relocat\$4 or loader) and (version near5 path)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/14 16:46 |
| S15<br>6 | 1  | (ELF adj file) and (bind\$4 or relocat\$4 or loader) and (version same path)    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/14 16:47 |
| S15<br>7 | 7  | (ELF adj file) and (bind\$4 or relocat\$4 or loader) and (version same section) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/14 16:47 |
| S15<br>8 | 1  | S157 and (@ad<="19991217" or @rlad<="19991217")                                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/14 16:55 |
| S15<br>9 | 32 | (link\$4 same librar\$4 same makefile)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/14 16:55 |
| S16<br>0 | 10 | S159 and (@ad<="19991217" or @rlad<="19991217")                                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/15 14:01 |
| S16<br>1 | 2  | S160 and relocat\$4 and (object near2 (file module)) and version                | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/14 16:56 |
| S16<br>2 | 6  | ("5956513" or "5574898" or "5950011").pn.                                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/15 13:23 |
| S16<br>3 | 32 | (link\$4 same librar\$4 same makefile)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/15 14:01 |

|          |    |  |   |    |    |                  |
|----------|----|--|---|----|----|------------------|
| S16<br>4 | 10 | S163 and (@ad<="19991217" or @rlad<="19991217")  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/15 14:01 |
| S16<br>5 | 35 | (US-4667290-\$ or US-5499365-\$ or US-5517636-\$ or US-5574898-\$ or US-5649200-\$ or US-5713009-\$ or US-5748961-\$ or US-5771381-\$ or US-5860012-\$ or US-5950011-\$ or US-5950209-\$ or US-5956513-\$ or US-5974470-\$ or US-5987561-\$ or US-6009274-\$ or US-6079006-\$ or US-6108727-\$ or US-6151567-\$ or US-6178546-\$ or US-6185734-\$ or US-6195795-\$ or US-6311214-\$ or US-6425125-\$ or US-6427140-\$ or US-6457170-\$ or US-6477580-\$).did. or (US-6487713-\$ or US-6542927-\$ or US-6564369-\$ or US-6590588-\$ or US-6591413-\$ or US-6650761-\$ or US-6658659-\$).did. or (US-5574898-\$ or US-5649200-\$).did. | USPAT;<br>DERWENT                                       | OR | ON | 2005/01/15 14:11 |
| S16<br>6 | 7  | S165 and makefile and (ELF or (path and version))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/15 14:15 |
| S16<br>7 | 1  | relocatable and (clearmake clearcase (makefile and ELF)) and (".lnk" or LNK)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/15 14:18 |
| S16<br>8 | 1  | (@ad<="19991217" or @rlad<="19991217") and (makefile) and ((relocatable near2 file) or (".o" same link\$4))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/15 15:01 |
| S16<br>9 | 7  | S165 and (path\$5 same version) and (makefile or linker)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/15 14:45 |
| S17<br>0 | 67 | (path\$5 and version) same (makefile or linker or (MAKE adj utility))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/15 14:46 |

|          |    |   |   |    |    |                  |
|----------|----|---|---|----|----|------------------|
| S17<br>1 | 16 | (@ad<="19991217" or<br>@rlad<="19991217") and<br>(makefile) and S170                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/15 15:00 |
| S17<br>2 | 2  | (@ad<="19991217" or<br>@rlad<="19991217") and (path\$5<br>same version same makefile) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/15 16:33 |
| S17<br>3 | 2  | "5805899".pn.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/15 16:29 |
| S17<br>4 | 3  | makefile same ('\$INCLUDE' and<br>'\$pathname')                                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/15 16:33 |
| S17<br>5 | 11 | makefile same ('\$INCLUDE' and<br>'\$path')   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/15 16:33 |
| S17<br>6 | 6  | (@ad<="19991217" or<br>@rlad<="19991217") and S175                                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/15 16:34 |